

References

- Adeleye, B., & Rachal, C. (2007). Comparison of the rheological properties of ready-to-serve and powdered instant food-thickened beverages at different temperatures for dysphagic patients. *Journal of the American Dietetic Association, 107*, 1176-1182.
- Budke, J., Garcia, J. M., & Chambers IV, E. (2008). Comparisons of thickened beverages using line spread measurements. *Journal of the American Dietetic Association, 108*, 1532-1535.
- Cichero, J. A. Y., Lam, P., Steele, C. M., Hanson, B., Chen, J., Dantas, R. O., et al. (2017). Development of international terminology and definitions for texture-modified foods and thickened fluids used in dysphagia management: The IDDSI framework. *Dysphagia, 32*, 293-314.
- Clark, H. M., Anderson, C. C., & Hietpas, F. (2014). Volumes of Discrete Sips From Straws of Varying Internal Diameters. *American Journal Of Speech-Language Pathology, 23*(1), 84-89.
- Garcia, J. M., Chambers IV, E. (in press). Bolus modifications. In D. Suiter & M. Gosa (Eds). *Assessing and treating dysphagia: A lifespan perspective*. New York: Thieme.
- Garcia, J. M., & Chambers IV, E. (2012a). Practice patterns of registered dietitians in nutrition management of dysphagia: Thickened beverages. *Topics in Clinical Nutrition, 27*(2), 105-113.
- Garcia, J. M., & Chambers IV, E. (2012b, November). *Thickened Liquids: Taking Responsibility for What our Patients Consume*. Invited Short Course of Special Interest Group 13 for Swallowing & Swallowing Disorders at the annual convention of the American-Speech-Language Hearing Association, Atlanta, GA.
- Garcia, J. M., Chambers IV, E., Chacon, C., & Di Donfrancesco, B. (2015). Consumer acceptance testing of prethickened water products: Implications for nutrition care. *Topics in Clinical Nutrition, 30*, 264-275.
- Garcia, J. M., Chambers IV, E., Clark, M., Helverson, J., & Matta, Z. (2010). Quality of care issues for dysphagia: Modifications involving oral fluids. *Journal of Clinical Nursing, 19*, 1618-1624.
- Garcia, J. M., Chambers IV E., Cook, K. (in press). Visualizing the consistency of thickened liquids with simple tools: Implications for clinical practice. *American Journal of Speech-Language Pathology*.
- Garcia, J. M., Chambers IV, E., & Molander, M. (2005). Thickened liquids: Practice patterns of speech-language pathologists. *American Journal of Speech-Language Pathology, 14*, 4-13.
- Germain, I., Dufresne, T., Ramaswamy, H. S. (2006). Rheological characterization of thickened beverages used in treatment of dysphagia. *Journal of Food Engineering, 73*, 64-74. doi:10.1016/j.jfoodeng.2005.01.006.
- Harding, C., Aloysius A. (2011). Drinking Speed Using a Valved Pat Saunders Straw, Wide Bore Straw, and Narrow Bore Straw in School-age Children. *International Journal of Evidence-Based Healthcare, 9*(4). 435-439.

- Kim, S. G., Yoo, W., & Yoo, B. (2014). Relationship between apparent viscosity and line-spread test measurement of thickened fruit juices prepared with a xanthan gum-based thickener. *Preventative Nutrition and Food Science*, 19 (3), 242-245. <http://dx.doi.org/10.3746/pnf.2014.19.3.242>.
- Lawless, H.T., Bender, S., Oman, C. et al. (2003). Gender, Age, Vessel Size, Cup vs. Straw Sipping, and Sequence Effects on Sip Volume. *Dysphagia* 18:196-202.
- Leder, S. B., Judson, B. L., Sliwinski, E., & Madson, L. (2013). Promoting safe swallowing when puree is swallowed without aspiration but thin liquid is aspirated: Nectar is enough. *Dysphagia*, 28, 58-62.
- Lund, A. M., Garcia, J. M., & Chambers IV, E. (2013). Line Spread as a Visual Clinical Tool for Thickened Liquids. *American Journal of Speech-Language Pathology*, 22, 566-571.
- Mann, L. L., & Wong, K. (1996). Development of an objective method for assessing viscosity of formulated foods and beverages for the dysphagic diet. *J Am Diet Assoc*, 96, 585-588.
- Matta, Z., Chambers IV, E., Garcia, J. M., & Helverson, J. (2006). Sensory characteristics of five beverages prepared with commercial thickeners used for dysphagia diets. *Journal of the American Dietetic Association*, 106, 1049-1054.
- Newman, R., Vilardell, N., Clave, P., & Speyer, R. (2016). Effect of bolus viscosity on the safety and efficacy of swallowing and the kinematics of the swallow response in patients with oropharyngeal dysphagia: White paper by the European society for swallowing disorders (ESSD), *Dysphagia*, 31, 232-249. doi: 10.1007/s00455-016-9696-8.
- Nicosia, M. A., & Robbins, J. (2007). The usefulness of the line spread test as a measure of liquid consistency. *Dysphagia*, 22, 306-311.
- Paik N., Han, T. R., Park J. W., Lee, E. K., Park, M.S., & Hwang, I. (2004). Categorization of dysphagia diets with the line spread test. *Archives of Physical Medicine and Rehabilitation*, 85, 857-861. doi:10.1016/j.apmr.2003.08.079.
- Park, J. H., Kim, H., Oh, B., Lee, M., Hwang, I., Lee, S., & Han, T. R. (2014). Comparison of different gum-based thickeners using a viscometer and line spread test: A preliminary study. *Annals of Rehabilitation Medicine*, 38 (1), 94-100. doi:10.5535/arm.2014.38.1.94.
- Robbins, J., Gensler, G., Hind, J., Logemann, J. A, Lindblad, A. S., Brandt, D., et al. (2008). Comparison of 2 interventions for liquid aspiration on pneumonia incidence. *Annals of Internal Medicine*, 148, 509-518.
- Smith, Pamela A., Lemma, James D. (2016). Do Straw Type and Verbal Directions Affect Sip Size in Typical College Students? *Pennsylvania Speech Language Hearing Association*. <https://www.psha.org/professional-development/convention/handouts/seminar-20.pdf>.
- Steele, C. M., Alasanei, W. A., Ayanikalath, S., Barbon, C. E. A., Cichero, JAY., Coutts, K. et al. (2015). The influence of food texture and liquid consistency modification on swallowing physiology and function: A systematic review. *Dysphagia*, 30, 2-26. doi:0.1007/s00455-014-9578-x.

- Veiga, H.P., Fonesca, H.V. & Bianchini. (2014). Sequential Swallowing of Liquid in Elderly Adults: Cup or Straw?. *Dysphagia*, 29, 249-255.
- Simply Thick Update
<https://www.fda.gov/ForConsumers/ConsumerUpdates/ucm256250.htm?source=govdelivery>